



**CERTIFICATO DI CONCESSIONE DEL DIRITTO D'USO DEI MARCHI CERTIQUALITY-UNI
E CEN KEYMARK DI CONFORMITA'
ALLA NORMA UNI EN 14411:2016 PER LE PIASTRELLE DI CERAMICA**

ORGANIZZAZIONE:

**CERAMICA SANT'AGOSTINO S.p.A.
44047 Sant'Agostino (FE) - Via Statale 247**

**CONTRATTO N.
P 0073**

**CONCESSIONE N.
PT 0030**

STABILIMENTO: CERAMICA SANT'AGOSTINO - 44047 Sant'Agostino (FE) - Via Statale 247

Gruppo di prodotto: Bla

Superficie: smaltata

Resistenza al gelo: garantita



Serie commerciali oggetto della concessione:

DECONCRETE, BLENDART, DIGITALART, SET, BARKWOOD, FINEART, HIGHSTONE, OXIDART, RITUAL, VIA APPIA, PATCHWORK, AKOYA, FORM, INSIDEART, NEWDECO', PRIMEWOOD, SILKSTONE, TIMEWOOD, TRUMARMI, FUN, INTARSI, VITA, WAYSTONE, FUSIONART, UNIONSTONE, MYSTIC, RICORDI, SABLE, VENISTONE, DRIPART, INSIDEART COLOR, LOGICO, PARADISO, TETRIS, BERGSTONE, DUO, PIXEL, INVICTUS, METASTONE, STAR, YORKWOOD, SUNWOOD, THEMAR, UNIONSTONE 2, BIT, GLOW, GRACEWOOD, INVICTUS CROSS. IRO, NOVART, WINDSTONE

La Concessione del diritto d'uso del marchio è soggetto al rispetto del Regolamento Certiquality DOC 32 e della norma di riferimento EN 14411:2016. Il presente certificato non è da ritenersi valido se non accompagnato dal relativo allegato. La concessione del diritto d'uso del marchio si intende estesa a tutti i prodotti riportati in Allegato. La validità del presente certificato è subordinata a sorveglianza periodica almeno annuale.

CERTIFICAZIONE "SYSTEM 3" SECONDO ISO/IEC 17067:2013

29/04/2025

Data Emissione corrente



PRD n. 008 B

Membro degli Accordi di Mutuo riconoscimento EA, IAF e ILAC.
Signatory of EA, IAF and ILAC Mutual Recognition Agreements.

15/06/2027

Data Scadenza

Marco Martinelli - Il Presidente

CERTIQUALITY S.r.l.

Via G. Giardino, 4 - 20123 Milano - Tel. 02/8069171 Fax. 02/86465295 certiquality@certiquality.it - www.certiquality.it

**CERTIFICATE FOR THE GRANTING OF THE RIGHT TO USE
CERTIQUALITY-UNI MARK AND KEYMARK ACCORDING TO THE EUROPEAN STANDARD
UNI EN 14411:2016 FOR CERAMIC TILES**

ORGANIZATION:

**CERAMICA SANT'AGOSTINO S.p.A.
44047 Sant'Agostino (FE) - Via Statale 247**

CONTRACT N.
P 0073

LICENCE N.
PT 0030

OPERATIVE UNITS: CERAMICA SANT'AGOSTINO - 44047 Sant'Agostino (FE) - Via Statale 247
Product Group: Bla **Surface:** glazed **Frost resistance:** guaranteed



Commercial products (articles):

DECONCRETE, BLENDART, DIGITALART, SET, BARKWOOD, FINEART, HIGHSTONE, OXIDART, RITUAL, VIA APPIA, PATCHWORK, AKOYA, FORM, INSIDEART, NEWDECO', PRIMEWOOD, SILKSTONE, TIMEWOOD, TRUMARMI, FUN, INTARSI, VITA, WAYSTONE, FUSIONART, UNIONSTONE, MYSTIC, RICORDI, SABLE, VENISTONE, DRIPART, INSIDEART COLOR, LOGICO, PARADISO, TETRIS, BERGSTONE, DUO, PIXEL, INVICTUS, METASTONE, STAR, YORKWOOD, SUNWOOD, THEMAR, UNIONSTONE 2, BIT, GLOW, GRACEWOOD, INVICTUS CROSS. IRO, NOVART, WINDSTONE

The right of mark's use is bound to fulfilling the conformity of Certiquality Regulation DOC 32 and the European Standard UNI EN 14411:2016. This certificate is not valid without the relative annex. The right of mark's use is extended to all products reported in the annex. The validity of this certificate depends on an annual audit.

THIS CERTIFICATION IS IN COMPLIANCE WITH "SYSTEM 3" ISO/IEC 17067:2013

29/04/2025

Current issue



PRD n. 008 B

Membro degli Accordi di Mutuo riconoscimento EA, IAF e ILAC.
Signatory of EA, IAF and ILAC Mutual Recognition Agreements.

15/06/2027

Expiration date



Marco Martinelli - The President

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

COMMERCIAL PRODUCT (ARTICLES)		SIZE/CODE				
1	DECONCRETE (9 mm)	120x120 cm				
	De-Micro Sand 120120	X				
2	SET (9 mm)	60x60 cm				
	Concrete grey 6060	>X				
	Dress pearl 6060	>X				
3	BLENDART (9 mm)	15x120 cm	90x90 cm			
	Natural	>X				
	White		X			
4	MYSTIC (9 mm)	60x120 cm				
	Mystic Ocean 60120 Kry					
5	DIGITALART (9 mm)	90x90 cm	60x120 cm	60x60 cm		
	Ecru'	>X				
	Grey		>X			
	White			>X		
6	THEMAR (9 mm)	30x60 cm	60x60 cm			
	Bianco lasa 3060	>X				
	Grigio savoia 6060		X			
7	BIT (9 mm)	5x20 cm				
	Bit cotto mat	X				
8	FINEART (9 mm)	20x20 cm				
	Fineart Patchwork	>X				

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

9	HIGHSTONE (9 mm)	120x120 cm				
	Highstone Pearl 120120	>X				
10	OXIDART (9 mm)	120x120 cm				
	Oxidart Copper 120120	>X				
11	RITUAL (9 mm)	90x90 cm				
	Ritual Dot Greige 9090	X				
12	VIA APPIA (9 mm)	90x180 cm				
	Appia VeinCut White 90180	X				
13	PATCHWORK (9 mm)	20x20 cm				
	Patchwork Black & White Mix	>X				
14	BARKWOOD (9 mm)	30x180 cm				
	BarkwoodHoney 30180	X				
15	AKOYA (9 mm)	60x120 cm				
	Akoya Ocean 60120 Kry	X				
16	FORM (9 mm)	60x120 cm				
	Form Cement 60120	X				
17	INSIDEART (9 mm)	60x120 cm				
	insideart white 60120	X				
18	NEWDECO' (9 mm)	120x120 cm				
	Newdeco' Pearl 120120	X				

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

19	PRIMEWOOD (9 mm)	30x180 cm				
	Primewood Natural 30180	X				
20	SILKYSTONE (9 mm)	60x120 cm				
	Silkystone Light 60120	X				
21	TIMEWOOD (9 mm)	30x180 cm				
	Timewood Natural 30180	>X				
22	TRUMARMİ (9 mm)	60x120 cm				
	Tm-Extra 60120 Kry	X				
23	FUN (9 mm)	20x20 cm				
	Fun Play 01	>X				
24	INTARSI (9 mm)	20x20 cm				
	Intarsi Glam 02	X				
25	VITA (9 mm)	20x20 cm				
	Mare Mix Mat	X				
26	WAYSTONE (9 mm)	30x60 cm				
	Light 3060	>X				
27	FUSIONART (9 mm)	30x120 cm				
	Fusionart Light 30120	>X				
28	UNIONSTONE (9 mm)	60x120 cm				
	London Grey 60120	>X				

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

29	RICORDI (9 mm)	90x90 cm				
	Ricordi Classic 01	X				
30	SABLE (9 mm)	90x90 cm				
	Sable Light 9090	X				
31	VENISTONE (9 mm)	60x120 cm				
	Venistone Pearl 60120	X				
32	DRIPART (9 mm)	60x120 cm				
	Dripart bronze 60120	X				
33	INSIDEART COLOR (9 mm)	60x120 cm				
	Insideart Light 60120 Soft	X				
34	LOGICO (9 mm)	120x120 cm				
	Logico Pearl 120120	X				
35	PARADISO (9 mm)	90x180 cm				
	Paradiso Beige 90180 Kry	X				
36	SUNWOOD (9 mm)	20x120 cm				
	Sunwood Light 20120	X				
37	UNIONSTONE 2 (9 mm)	60x120 cm				
	Olimpia Avorio 60120	X				
38	TETRIS (9 mm)	5x20 cm				
	Tetris Rose Luc	X				
39	BERGSTONE (9 mm)	60x120 cm				

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

	Bergstone light 60120	X				
40	DUO (9 mm)	90x90 cm				
	Duo Back Cotto	X				
41	PIXEL (9 mm)	10x10 cm				
	Pixel Breeze Luc	X				
42	INVICTUS (9 mm)	60x120 cm				
	Invictus Ivory 60120 Kry					
43	METASTONE (9 mm)	60x120 cm				
	Metastone Night 60120	X				
44	STAR (9 mm)	60x120 cm				
	Star Marble Purple 60120 Kry	X				
45	YORKWOOD (9 mm)	20x120 cm				
	Yorkwood Natural 20120	X				
46	GLOW (9 mm)	60x120 cm				
	Glow Ivory 60120	X				
47	GRACEWOOD (9 mm)	20x120 cm				
	GRACEWOOD NATURAL 20120	X				
48	INVICTUS CROSS (9 mm)	60x120 cm				
	Invictus Cross Ivory 60120 Kry	X				
49	IRO (9 mm)	60x120 cm				
	Iro Ivory 60120	X				

This annex is not valid without the relevant certificate. The right of mark's use is extended to all products reported in the annex.

50	NOVART (9 mm)	60x120 cm				
	Novart Pearl 60120	X				
51	WINDSTONE (9 mm)	60x120 cm				
	Windstone grey 60120AS	X				



**CERTIFICATO DI CONCESSIONE DEL DIRITTO D'USO DEI MARCHI CERTIQUALITY-UNI
E CEN KEYMARK DI CONFORMITA'
ALLA NORMA UNI EN 14411:2016 PER LE PIASTRELLE DI CERAMICA**

ORGANIZZAZIONE:

**CERAMICA SANT'AGOSTINO S.p.A.
44047 Sant'Agostino (FE) - Via Statale 247**

CONTRATTO N.

P 0073

CONCESSIONE N.

PT 0032

STABILIMENTO: CERAMICA SANT'AGOSTINO - 44047 Sant'Agostino (FE) - Via Statale 247

Gruppo di prodotto: BIII

Superficie: smaltata

Resistenza al gelo: non garantita



Serie commerciali oggetto della concessione:

FLEXIBLE ARCHITECTURE

La Concessione del diritto d'uso del marchio è soggetto al rispetto del Regolamento Certiquality DOC 32 e della norma di riferimento EN 14411:2016. Il presente certificato non è da ritenersi valido se non accompagnato dal relativo allegato. La concessione del diritto d'uso del marchio si intende estesa a tutti i prodotti riportati in Allegato. La validità del presente certificato è subordinata a sorveglianza periodica almeno annuale.

CERTIFICAZIONE "SYSTEM 3" SECONDO ISO/IEC 17067:2013

29/04/2025

Data Emissione corrente



PRD n. 008 B

Membro degli Accordi di Mutuo riconoscimento EA, IAF e ILAC.
Signatory of EA, IAF and ILAC Mutual Recognition Agreements.

15/06/2027

Data Scadenza

Marco Martinelli - Il Presidente

CERTIQUALITY S.r.l.

Via G. Giardino, 4 - 20123 Milano - Tel. 02/8069171 Fax. 02/86465295 certiquality@certiquality.it - www.certiquality.it



**CERTIFICATE FOR THE GRANTING OF THE RIGHT TO USE
CERTIQUALITY-UNI MARK AND KEYMARK ACCORDING TO THE EUROPEAN STANDARD
UNI EN 14411:2016 FOR CERAMIC TILES**

ORGANIZATION:

**CERAMICA SANT'AGOSTINO S.p.A.
44047 Sant'Agostino (FE) - Via Statale 247**

**CONTRACT N.
P 0073**

**LICENCE N.
PT 0032**

OPERATIVE UNITS: CERAMICA SANT'AGOSTINO - 44047 Sant'Agostino (FE) - Via Statale 247
Product Group: BIII **Surface:** glazed **Frost resistance:** unguaranteed



Commercial products (articles):
FLEXIBLE ARCHITECTURE

The right of mark's use is bound to fulfilling the conformity of Certiquality Regulation DOC 32 and the European Standard UNI EN 14411:2016. This certificate is not valid without the relative annex. The right of mark's use is extended to all products reported in the annex. The validity of this certificate depends on an annual audit.

THIS CERTIFICATION IS IN COMPLIANCE WITH "SYSTEM 3" ISO/IEC 17067:2013

29/04/2025

Current issue



PRD n. 008 B

Membro degli Accordi di Mutuo riconoscimento EA, IAF e ILAC.
Signatory of EA, IAF and ILAC Mutual Recognition Agreements.

15/06/2027

Expiration date

Marco Martinelli - The President

Il presente Allegato non è da ritenersi valido se non accompagnato dal relativo Certificato. La concessione del diritto d'uso del marchio si intende estesa a tutti i prodotti riportati in Allegato

SERIE COMMERCIALE		DIMENSIONE/CODICE					
2	FLEXIBLE ARCHITECTURE (12 mm)	30x30 cm					
	Flexi 2 white bri	>X					
	Flex 4 grey mat	>X					